L Number	Hits	Search Text	DB	Time stamp
-	11	(((((ip (internet$4 protocol)) near5 address$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and ((field value data information) near10 detect$4) and (set$4 near10 (bit byte field parameter$4)) and ((field value data information) near9 (length size)) and ((field value data information) near10 (ttl (time adj3 liv$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 15:44
-	45	(((((ip (internet$4 protocol)) near5 address$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and (match$4 near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 16:57
-	16	(((((ip (internet$4 protocol)) near5 address$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and (compar$5 near10 address$4 same destination)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/21 16:58
-	7	(((((ip (internet$4 protocol)) near5 address$4)and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and (((mac(media adj3 control$4)) near5 address$4)) near10 equal$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 10:45
-	32	((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:18
-	10	((((((ip (internet$4 protocol)) near5 address$4) near10 equal$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:18
-	1	((((((ip (internet$4 protocol)) near5 address$4) near10 equal$4) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 12:28
-	30	((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:02

		88	((ip (internet$4 protocol)) near5 address$4 near6 destination$4 near10 differ$7) not ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:29
-		25	((ip (internet$4 protocol)) near5 address$4 near6 destination$4 near10 differ$7) and (ping$4 arp echo$4) not (((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:22
-		7	((ip (internet$4 protocol)) near5 address$4 near6 destination$4 near10 equal$4) and (ping$4 arp echo$4) not (((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:13
-		8	((ip (internet$4 protocol) logic$2) near5 address$4 near6 destination$4 near10 equal$4) and (ping$4 arp echo$4) not (((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:25

-	26	((ip (internet$4 protocol) logic$2) near5 address$4 near6 destination$4 near10 differ$7) and (ping$4 arp echo$4) not ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) not ((compar$4 match$4) near10 address$4)) ((((((ip (internet$4 protocol)) near5 address$4) near10 differ$7) and ((mac(media adj3 control$4)) near5 address$4)) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol))) and (ping$4 arp echo$4) and ((compar$4 match$4) near10 address$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 13:31
-	37	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4))) and ((ip (internet$4 protocol)) near5 address$4 near6 destination$4 same (configur$4 set$4) near10 ((ip (internet$4 protocol)) near5 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:23
-	60	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4))) and ((mac (media adj3 control$4) physical$4) near5 address$4 near6 destination$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:35
-	11	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4)) same ((mac (media adj3 control$4) physical$4) near5 address$4 near6 destination$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/22 14:59
-	322	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and ((echo$4 messag$4) same ((ip internet$4) near5 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:28
-	64	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and ((echo$4 messag$4) same ((ip internet$4) near5 address$4 near10 (set setting)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:27
-	19	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (echo$4 same ((ip internet$4) near5 address$4 near10 (set setting))) and ((ip internet$4) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:37
-	13	(((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (echo$4 same ((ip internet$4) near5 address$4 near10 (set setting)))) and (siz$4 length$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 09:27
-	16	(((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4)) and ((ip internet$4) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 11:03
-	9	(((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) not (siz$4 length$4) not (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/11/25 11:22
-	3	(set setting) near5 (predetermin$6 near5 (data information parameter header)) and ((revers$4 near4 (arp (address$4 adj resolution adj protocol)) rarp))	USPAT	2003/05/30 13:47

-	131	((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 11:53
-	48	((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4) near10 destination$4) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:19
-	35	((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 10:20
-	24	(set setting) near5 (predetermin$6 near5 (data information parameter header)) same (icmp echo ping)	USPAT	2003/11/17 10:20
-	26	(((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) not (((((echo$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and (((ip internet$4) near5 address$4 near10 (set setting replac$4 chang$4)))) not (siz$4 length$4) not (ttl (tim$4 adj3 liv$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:23
-	493	(set setting reset$5) with ((factor$4) with address$4)	USPAT	2003/11/18 18:01
-	356	((factory factories) with address$4)	USPAT	2003/11/18 10:11
-	2	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol)) near10 (echo$4 messag$4))) and ((ip (internet$4 protocol)) near5 address$4 near6 destination$4) and (((factory factories) with address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:29
-	4	((echo$4 messag$4) same (mac (media adj3 control$4) physical$4) near5 address$4) and ((echo$4 messag$4) same ((ip internet$4) near5 address$4)) and (((factory factories) with address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/17 14:31
-	77	((factory default$4 factories) with address$4) and (default$4 same (factory factories))	USPAT	2003/11/17 14:40
-	30	(((factory default$4 factories) with address$4) and (default$4 same (factory factories))) and (echo icmp ping arp rarp)	USPAT	2003/11/17 16:12
-	30	(((factory factories) with address$4)) and (echo icmp ping arp rarp)	USPAT	2003/11/17 16:12
-	10	((((factory factories) with address$4)) and (echo icmp ping arp rarp)) not (((((factory default$4 factories) with address$4) and (default$4 same (factory factories))) and (echo icmp ping arp rarp))	USPAT	2003/11/17 16:13
-	709	(icmp ping echo) same (set$4 reset$4) same address$4	USPAT	2003/11/18 10:12
-	108	(icmp ping echo) with (set$4 reset$4) with address$4	USPAT	2003/11/18 10:12
-	13	((icmp ping arp rarp echo) with (set$4 reset$4) with address$4) same((compar$4 match$4) with address$4)	USPAT	2004/05/05 13:57
-	114	((icmp ping arp rarp echo) with (set$4 reset$4) with address$4) and ((compar$4 match$4) with address$4)	USPAT	2003/11/18 11:01
-	160	((ip internet$4) with address$4 with (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))	USPAT; EPO; JPO; DERWENT; IBM TDB	2003/11/18 11:54

-	394	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with address$4))	USPAT	2003/11/18 13:11
-	77	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with address$4)	USPAT	2003/11/18 18:02
-	26	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) same ((compar$4 match$4) with address$4)	USPAT	2003/11/18 13:12
-	27	((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with mac with address$4)	USPAT	2003/11/18 13:15
-	50	(((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with address$4)) not (((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with mac with address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 14:01
-	443	((set setting reset$5) with (factory factories manufact$6) with address$4)	USPAT	2003/11/18 18:02
-	0	(((set setting reset$5) with (factory factories manufact$6) with address$4)) and ((icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) with ((set$5 chang$4 updat$4 refreash$4 assign$4 reset$5) with (ip internet) with address$4)) and ((compar$4 match$4) with (mac media hardware) with address$4)	USPAT	2003/11/18 18:03
-	17	(((set setting reset$5) with (factory factories manufact$6) with address$4)) and ((compar$4 match$4) with (mac media hardware) with address$4)	USPAT	2003/11/18 18:11
-	56	(((ip internet$4) with address$4 with (set setting replac$4 chang$4)) and (siz$4 length$4) and (ttl (tim$4 adj3 liv$4))) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp echo) and ((compar$4 match$4) with address$4) and ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	2004/05/05 11:26
-	748	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum.	USPAT	2004/05/06 10:43
-	45	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	2004/05/05 11:43

-	64	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with address$4)	USPAT	2004/05/05 11:43
-	2	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with mac with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	2004/05/05 11:51
-	5	((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with mac with address$4) same ((assign$6 set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	2004/05/05 14:25
-	7	((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with mac with address$4) same ((set$5 chang$4 updat$4 refreash$4 reset$5) with address$4)	USPAT	2004/05/05 13:49
-	42	((icmp ping arp rarp (reverse near arp) echo) with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4) with address$4) same((compar$4 match$4) with address$4)	USPAT	2004/05/05 15:53
-	6	((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum. and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo) and ((compar$4 match$4) with ethernet with address$4) same ((assign$6 set$5 chang$4 updat$4 refreash$4 reset$5) with ip with address$4)	USPAT	2004/05/05 14:40
-	28	(length with ip with address$4) same assign$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 15:55
-	160	dhcp and ((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)).ti,bsum.	USPAT	2004/05/06 10:43
-	273	dhcp and ((ip internet$4) with address$4 with (set setting replac$4 chang$4 replac$4 allocat$4)) and (length siz$4)	USPAT	2004/05/06 10:46
-	205	dhcp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping arp rarp (reverse near arp) echo)	USPAT	2004/05/06 10:52

| - | 16 | dhcp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping$4 arp rarp (reverse near arp) echo$4) and ((compar$4 match$4) with mac with address$4) | USPAT | 2004/05/06 16:24 |
| - | 2 | bootp and ((ip internet$4) with address$4 with (assign$6 set setting replac$4 chang$4 allocat$4)) and (length siz$4) and (icmp (internet$4 adj2 control$4 adj2 messag$4 adj2 protocol) ping$4 arp rarp (reverse near arp) echo$4) and ((compar$4 match$4) with mac with address$4) not dhcp | USPAT | 2004/05/06 17:55 |